




Typen, Baumuster, Bauzeiten

Verkaufsbezeichnung	Baumuster	Motorleistung PS	Radstand mm	Bauzeit von – bis
Typ 2010 2010... I – VIII	2010... 1-8	25	1720	06.51 – 08.53
Typ 401 401... A25 / B25 / C25 A / F25 / B / F25 / C / F25	401... 101 / 102 / 103 104 / 105 / 106	25 25	1720	08.53 – 09.56
Typ 402 402... BS25 / BFS25	402... 101 / 102	25	2120	11.53 – 07.56
Typ 411 A30 A32 / B32 / C32 AF30 / BF30 / CF30 AL32 / BL32 / CL32 AFL30 / BFL30 / CFL30 A25 / B25 / C25 AFL32 / BFL32 / CFL32	411.110 411.111 411.112 411.113 411.116 411.117	30 32 30 32 30 25 32	1720 2120 1720 2120	08.56 – 10.61 09.56 – 10.61 09.56 – 10.61 05.57 – 10.61 09.57 – 10.61
Typ 411 a D32 / H32 DL32 / HL32 DFL32 / HFL32	411.110 411.112 411.117	32 32 32	1720 2120	10.61 – 01.63 10.61 – 01.63 10.61 – 03.63
Typ 411 b D32 DL32 / DFL32	411.118 411.119/120	32 32	1720 2120	03.63 – 04.64 01.63 – 04.64
Typ 411 c D34 / H34 DL32 / HL34 DFL34 / HFL34 U 34 / U 34A / U 34L U 34 / U 34A / U 34L U 36	411.118 411.119 411.120 411.118 411.119 411.120 411.114	32 34 34 34 34 34 36	1720 2120 1720 2120 2570	04.64 – 04.66 04.64 – 04.66 04.64 – 04.66 04.66 – 01.71 04.66 – 01.71 04.66 – 01.71 10.68 – 01.71
Typ 421 U 40 / U 40A / U 040 / 421 U 45 / U 45A / U 040 / 421 U 45F / U 45L U 052L / U 052F = 600 U 052 / 421 = 600 U 060 / 421 = 600 L	421.122 421.123 421.124 421.125 / 140 / 141 421.128 / 129	40 45 45 52 52 60	2250 2250 2605	01.66 – 04.71 02.66 – 04.71 11.70 – 1988 12.70 – 1988 11.71 – 1988

		PS	mm	von – bis
Typ 403				
U 54 / U 54A / U 54F / U 54L	403.120	54	2380	04.66 – 03.72
U 054 / 403	403.121	54		04.66 – 04.72
U 66 / U 66A / U 66F / U 66L	403.122	72	2380	03.69 – 01.76
U 066F / U 66L	403.123	75		01.76 – 1988
Typ 406				
P65 / G65 / T65 / U 065 / 406	406.120	65	2380	02.63 – 05.66
U 70 / U 70A / U 70F / U 070 / 406	406.120/121	70		05.66 – 12.68
U 80 / U 80A / U 80L / U 080F	406.120	80	2380	01.69 – 03.71
U 080 / 406	406.121	80		
PF65 / TF65 / GF65	406.121	65	2380	02.63 – 05.66
U 084L / U 084F – U 900	406.120	84	2380	03.71 – 1988
U 084 / 406 – U 900	406.121	84	2380	03.71 – 1988
	406.142 / 143 / 145			
Typ 413				
U 080 / 413 – U 800L	413.110 / 111	75	2900	01.69 – 1988
Typ 416				
U 080 / 416	416.122 / 123 / 124 125 / 126 / 127	80	2900	09.65 – 01.69
U 090 / 416	416.122 / 123 / 124 125 / 126 / 127	90	2900	01.69 – 10.75
U 100 / 416	416.126 / 127	100	2900	06.69 – 11.70
– U 1100L	416.114 / 115	110		06.69 – 1988
– UR 1100	416.160	110		12.69 – 1988
U 125 / 416 – U 1100L	416.162 / 163	125	2900	10.70 – 1988
U 100 / 416 – U 1100L	416.116 / 17	110	3400	02.76 – 1988
MB-trac 65/70	440.	65	2400	1973 – 1976
MB-trac 95/105	442.	95	2650	1974 *
U 120	425	120	2810	1974
MB-trac 800	440.	72	2400	1975 – 1978
MB-trac 700	440.	65	2400	1976 – 1987
U 1000	424	95	2650	1976 – 1988
MB-trac 1100	442.	110	2600	1976 – 1987
MB-trac 1300	443.	125	2600	1976 – 1987
U 1500T	425.	150		1977 – 1988
U 1300L	435.	125	3250	1978 – 1988
U 1700L	435.	168	3250	1978 – 1988
MB-trac 800	440.	75	2400	1978 – 1987
U 1700	435.	168	3250	1979 – 1988
MB-trac 1500	443	150	2650	1980 – 1987
U 1500	425.	150	2810	1980
MB-trac 900	440.	85	2400	1981 – 1987
U 1200	424	125	2650	1982 – 1988
MB-trac 1000	441	95	2600	1982 – 1987
U 1250	424	125	3250	1984 – 1988
U 1550	424	150	3250	1986 – 1988

* Dieser Typ wurde nur ausgestellt und später als MB-trac 1000 produziert.

Typen- und Aggregate-Übersicht

NEU	Typ		Baumuster		Rad-stand	Motor
	alt		(EX*)	alt (EX)		
U 600 U 650 U 650 L/26	U 600 - U 600 L/26		407.100 / 200 407.110 / 210 407.111 / 211	421.141 / 125 - 421.129	2250 2605 2605	OM 616 
U 900 U 1150 U 1150 L/29 U 1150 L/34 U 1100 T	U 800 U 900 U 1100 U 1100 L/29 U 1100 L/34 U 1100 T		417.101 / 201 417.110 / 210 417.111 / 211 417.120 / 220 417.000	403.123 406.121 416.141 416.115 416.117 416.135	2380 2380 2900 2900 3400 -	OM 314 OM 352 
U 1000 U 1200 U 1250 U 1250 L/32 U 1200 T U 1400 U 1450	U 1000 U 1200 U 1250 U 1250 L/32 U 1200 T - -		427.100 427.101 427.110 427.111 427.000 427.102 427.112	424.121 424.122 424.126 424.127 424.132 - -	2650 2650 3250 3250 - 2650 3250	OM 366 OM 366 A** 
U 1600 U 1650 U 1650 L/32	- U 1250 U 1250 L/32		427.105 427.115 427.116	- 424.126 424.127	2650 3250 3250	
U 1350 L/32 U 1550 L/32 U 1550 L/37 U 1550 L (214) U 1550 L/37 (214)	U 1300 L/32 - U 1300 L/37 - -		437.110 437.111 437.120 437.116 437.125	435.115 - 435.117	3250 3250 3700 3250 3700	OM 366 LA**
U 1700 U 1750 U 1750 L/32 U 1750 L/38 U 1700 T	U 1500 U 1700 U 1700 L/32 U 1700 L/38 U 1500 T		437.100 437.112 437.113 437.131 437.000	425.141 435.110 435.111 435.113 425.131	2810 3250 3290 3850 -	OM 366 A**
U 2100 U 2150 U 2150/38 U 2150 L U 2150 L/38	- - - - -		437.105 437.117 437.135 437.118 437.136		2810 3250 3850 3250 3850	OM 366 LA*

* = Nicht zulassungsfähig für EG, Österreich und Schweiz